Subscapularis Repair Made Easy

Larry D. Field, M.D.
Mississippi Sports Medicine and Orthopaedic Center
Jackson, Mississippi

Disclosures

The following relationships exist:

1. Royalties and stock options
   - None
2. Consulting income
   - Smith & Nephew
3. Research and educational support
   - Arthrex
   - Mitek
   - Smith & Nephew
4. Other support
   - None

SUBSCAPULARIS REPAIR

- Often challenging procedure
- Arthroscopic repair
  - Intra-articular and extra-articular visualization required
  - Management of biceps pathology and coracoid impingement unique aspects
  - Technical hurdles
    - Footprint preparation
    - Anchor placement

GOALS OF SUBSCAPULARIS REPAIR

- Same as for any rotator cuff tear
  - Accurate assessment
  - Mobilization as necessary
  - Secure fixation

STEPS TO RECOGNIZE AND REPAIR SUBSCAPULARIS TEARS

1. Pre-operative assessment
   - Physical exam
   - MRI
2. Arthroscopic technique steps
   - Portal placement
   - Value of shoulder rotation and manipulation
3. Importance of rotator interval "window"
4. Pearls for managing biceps pathology
5. Why identifying the "comma" matters
6. Intra- vs. Extra-articular approach

1. PREOPERATIVE ASSESSMENT

- Subscapularis tears
  - Anterior shoulder pain
  - Internal rotation weakness
- Specific tests to evaluate integrity

+ Lift-off Test



+ Napoleon Test



+ Bear Hug Test

2. ARTHROSCOPIC TECHNIQUE STEPS

PORTAL PLACEMENT

- Dual or triple anterior portals
  - Visualization
  - Mobilization
  - Suture management



2. ARTHROSCOPIC TECHNIQUE STEPS

- Shoulder rotation and manipulation helpful
  - Internal rotation
  - Posterior translation
  - 70° scope may be helpful

3. IMPORTANCE OF CREATING ROTATOR INTERVAL "WINDOW"

- Extra-articular subscapularis access vital
  - Assessment
  - Repair



Rotator Interval Resection

4. PEARLS FOR MANAGING BICEPS PATHOLOGY

- Biceps often frayed and/or subluxated
- Early release of biceps important



"To fix the subscapularis, you must first see the subscapularis"

Steve Burkhart, MD

PARTIAL SUBSCAPULARIS TEARS

- Very Common
- Arthroscopic evaluation key to diagnosing partial tears
  - Reliably shows upper border detachment
  - Identifies biceps fraying and/or instability
  - Arthroscopic debridement defines tear

UPPER BORDER PARTIAL SUBSCAPULARIS TEARS

- Can be managed using techniques described
  - RI "window"
  - Dual portals
  - Biceps release
  - Simply repaired

5. WHY IDENTIFYING THE "COMMA" MATTERS

- Comma tissue (medial biceps sling)
  - Coracohumeral ligament
  - Superior glenohumeral ligament



Burkhart, 2006



Burkhart, 2006

WHY IDENTIFYING THE "COMMA" MATTERS

- Comma tissue usually travels medially with subscapularis
  - "Comma sign"
- Helps to localize subscapularis when retracted



ANTEROSUPERIOR TEARS

- Combined tears challenging
  - Often large or massive
  - Retracted
  - Anatomy distorted
- Identifying comma tissue important



6. SUBSCAPULARIS REPAIR APPROACHES

- Intra-articular approach
- Extra-articular approach
- Combined
  - Not mutually exclusive



INTRA-ARTICULAR APPROACH

EXTRA-ARTICULAR APPROACH

SUMMARY

- Identify partial subscapularis tears
- Repair of larger tears can be challenging
  - Biceps pathology
  - Mobilization
- Arthroscopic techniques effective
  - Identifying comma tissue helpful
  - Consider extra-articular approach for large tears
- Beware axillary nerve in retracted tears

THANK YOU