Revision and Complex Instability:
A Case-Based Discussion

Grant Garrigues, MD

Shoulder and Elbow Surgeon
Midwest Orthopaedics at Rush
Rush University Medical Center

Disclosures

- Consultant/Royalties:
  - DJO/Encore Medical
  - Tornier/Wright Medical
- Education/Research Support:
  - Arthrex
  - Zimmer
  - DePuy-Mitek

Goals

- Discuss revision instability decision-making
- Discuss complex instability "tool kit"
- 4 cases in 8 minutes

The Problem

- Arthroscopic bankart not as effective as once believed—particularly for those with multiple dislocations
  - Subjective instability in 62% and re-operation in 32%
  - 4x worse than in first time dislocators (Marshall AJSM 2017)
- Multifactorial…

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Case 1

"The Midshipman"

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Case 1

- 27 yo RHD male
- First dislocation in 2007, traumatic
- @ bankart in 2008, redislocated 1 year later
- Increasing frequency and decreasing threshold
- Has had difficulty reducing on occasion

- PE: + Apprehension

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

2008



2013



2013


Insanity:
doing the same thing
over and over again
and expecting
different results.
-Albert Einstein


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS

Follow-up

- No pain
- Full strength
- 2 levels different IR
- No further dislocations
- “very satisfied”

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS

Case 1: Discussion points

- “Remplissage”
  - Fr. “To fill in”, described by E. Wolfe 2007
  - Capsulotenodesis of Infraspinatus into Hill-Sachs
  - Makes HS extra-articular and creates a ”check-rein”



(Boileau)

Case 1: Discussion points

- "Remplissage"
  - Fr. "To fill in", described by E. Wolfe 2007
  - Capsulotenodesis of Infraspinatus into Hill-Sachs
  - Makes HS extra-articular and creates a "check-rein"



(Boileau)

What went wrong the first time?

- Surgeon factors
  - Off track lesion treated with @bankart alone
  - @bankart inadequately performed (single anchor)
- Patient factors
  - Neglected shoulder with recurrent instability
    - Bony defects, labrum, capsule, and articular cartilage all deteriorating



Clinical results of Remplissage: Currently debated

- Does it heal?
  - Yes (Merolla, dynamic US)
- Do patients lose motion?
  - Unclear
    - Some clinical studies show excellent ROM (Ko; Boileau)
    - Some show decreased ROM
      - ~10 deg ER and IR at 90 deg abduction (Merolla)
    - Biomechanical studies mixed:
      - No loss of ROM? (Argintar)
      - Loss of ER? (Grimberg)

Clinical results of Remplissage: Currently debated

- Does it help instability?
  - Randomized controlled trial: Lower recurrence rate for treatment of traumatic anterior instability with engaging HS (Ko)
  - *Honestly hard to measure as each case has different HS lesion size, orientation, activity level, concomitant labral pathology, dominant/nondominant etc...*

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | SOX | CHICAGO FIRE

Case 2

"The Intramural Soccer Star"

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | SOX | CHICAGO FIRE

Case 2

- 18 yo RHD female college freshman
- First dislocation in playing JV HS soccer.
- @ bankart 4 years prior
- Subluxated 3 months later and continues to dislocate during intramural sports
- PE exam: + Apprehension, Beighton score 7/9

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | SOX | CHICAGO FIRE


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


R
RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS

Decisions, decisions…

- Bipolar glenoid bone loss

+

- Concern about soft tissue/collagen integrity

=

Bony reconstructive procedure

In my hands, I prefer the Arthroscopic Latarjet

RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO (BULLS)




RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO (BULLS)


at RUSH


MEDICAL CENTER
ORTHOPAEDICS
at RUSH


RUSH UNIVERSITY
MEDICAL CENTER
MIDWEST
ORTHOPAEDICS
at RUSH
CHICAGO
BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


R
JM



Follow-up

- No pain
- Full strength
- ER R 90, ER L 105
- No further dislocations
- “very satisfied”

RUSH UNIVERSITY MEDICAL CENTER

MIDWEST ORTHOPAEDICS at RUSH

Case 2: Discussion

- Beighton Hypermobility Scale
  - Helpful to quickly assess hyperlaxity
- Arthroscopic Latarjet
  - Pioneered by Lafosse and Boileau
  - Similar results and complications to open
  - Has a learning curve
  - “Sling effect” (debated)



What went wrong the first time?

- Surgeon factors
  - Off track lesion treated with @bankart alone
- Patient factors
  - Hyperlaxity—poor collagen!
  - Neglected shoulder with recurrent instability
    - Bony defects, labrum, capsule, and articular cartilage all deteriorating

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Case 3

"The Disaster"

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Case 3

- 26 yo RHD female
- First dislocation in 7 years ago, traumatic
- @ bankart at that time → recurrent dislocations
- Revision @ bankart → recurrent dislocations
- Open Latarjet → recurrent dislocations and incompletely resolved Ax nerve palsy
- PE: + Apprehension, multiple scars, atrophic deltoid

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Pre-op



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Open reconstruction

- Revision of Latarjet to distal tibial allograft
- Given Latarjet did not do subscap split
  - Left conjoint attached to subscap
  - Subscap with extensive scar tissue

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Post-op



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH



Complications

- Complete plexopathy for 6 weeks!
- Doing well for 3 months then felt a pop and had recurrent anterior pain and subluxation

RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS




RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS


A Toth
IMAGE1 HD
RUSH UNIVERSITY MEDICAL CENTER
ORTHOPAEDICS at RUSH


A Toth
IMAGE1 HD
RUSH UNIVERSITY MEDICAL CENTER
ORTHOPAEDICS at RUSH


A Toth
IMAGE1 HD
RUSH UNIVERSITY MEDICAL CENTER
ORTHOPAEDICS at RUSH





Follow-up

- No pain
- Full strength
- No further instability events
- Normal neurologic exam
- "Very satisfied"

	R	L
ER @0	70	80
ER@90	75	90

RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH

Case 3: Discussion

- Prior open procedures
  - Beware of partial/complete subscapularis insufficiency
- Prior Latarjet
  - Beware of altered anatomy
  - Be very cautious with anterior retractor—no conjoint protecting you from plexopathy!
- Any bony procedure
  - Beware of bursitis around the hardware

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | Shoulderdoc.co.uk

What went wrong the first time?

- Surgeon 1 factors
  - Hard to say, but Latarjet didn't heal
- Surgeon 2 (me) factors
  - Beware anterior retractor without conjoint
  - Not sure how to avoid the bursitis—thankfully not very common
- Patient factors
  - Subscap can only take so much abuse

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Case 4

"The Epileptic"

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Case 4: Bilateral posterior instability

- 45 yo RHD male, on schedule for staged left/right @posterior labral repair with another surgeon in town. Has grand mal seizure and presents to ER
- PMH: Epileptic
- Physical exam: Bilateral UE locked in IR

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Right

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Right

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Left

Left

Attempted reduction in ER

- Post-reduction films unconvincing
- Sent for CT

Attempted reduction in ER

- Post-reduction films unconvincing
- Sent for CT
- Is that guy wide awake and smiling??!!

RUSH UNIVERSITY MEDICAL CENTER

Right—locked posterior fx/dx



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Left—reduced, large reverse HS



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH

Case 4: Options

- How do we keep the reverse Hill-Sachs from engaging?



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Case 4: Options

- How do we keep the reverse Hill-Sachs from engaging?
  - Immobilization
  - Posterior labrum/bony bankart repair
  - Posterior glenoid bone block
  - Anterior humeral osteoarticular allograft
  - Acute Reduction of defect
  - Reverse remplissage
  - Modified McLauglin
  - Hemiarthroplasty
  - Reverse Total Shoulder Arthroplasty



Cicak JBJS Br 2004

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Right: Acute defect reduction and bone grafting



RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

Right



RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS

Meanwhile, back on the left…

RUSH UNIVERSITY MEDICAL CENTER
MIDWEST ORTHOPAEDICS at RUSH
CHICAGO BULLS

Left



at RUSH

Follow-up

- No pain
- Full strength
- Symmetric ROM
- No further dislocations
- Returned to work
- “very satisfied”

Case 4: Discussion





Case 4: Discussion

- Do not hesitate to get axial images in acute instability cases
  - Especially concern for posterior instability.
- Acute reduction of defect and bone grafting is highly effective
- Don’t forget the arthroplasty option in the right patient population.
  - Hemi for subacute with relatively preserved glenoid
  - Reverse for chronic, cuff deficient, lower-demand

Shoulderdoc.co.uk

Summary

- Don't forget the full array of complex instability options
  - Remplissage, Latarjet
  - But also hemiarthroplasty, glenohumeral fusion, etc..
- Beware Beighton score >5/9
- Beware Off-track lesions
- Beware altered anatomy (e.g. post-Latarjet)
- Respect the subscap

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE

THANK YOU!

Grant.Garrigues@rushortho.com
https://www.rushortho.com/doctors/grant-garrigues

RUSH UNIVERSITY MEDICAL CENTER | MIDWEST ORTHOPAEDICS at RUSH | CHICAGO BULLS | CHICAGO WHITE SOX | CHICAGO FIRE