BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

Intrinsic/joint/periarticular pathology

- **Tendon injury, RA, Dupuytren's, Burns etc. treated according to those specific diagnoses**

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#10

Stiffness is a complaint;
Pathoanatomy leads to contractures

- Vast majority of patients with stiffness as a complaint don't have a sig contracture that surgery is indicated.

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#9

Patient Selection

- Treatment failures are common
- Tenoarthrolysis

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

8
Exam

- Fixed or vary with adjacent joint
- PROM>AROM: Problem with tendon power at that joint.

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

7
Surgery in steps

- MP Extension contracture Surgery
- Dorsal, step wise.
  - Extensor tenolysis
  - Dorsal capsule
  - Both Collateral 50/100%
  - Volar pouch

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#6
Anesthesia Matters

- WALANT
- IV Regional
- Don't leave the OR until ACTIVE rom is distinctly improved
- Show patient



BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

5
Therapy

- Preop in many cases
- Schedule Therapy
  - Some of these I will not do on Friday
- Early ROM (POD #1-2)



BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#4
Splinting (counterintuitively) important

- Static splints acute phase (edema, inflammation)
- Static progressive late phase

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#3
PIP Flexion contracture

- Patho anatomy
  - Check rein
  - Collaterals
  - Flexor sheath (Dups)
- Lateral (2 incisions)
  - Release extensor (transverse retinacular ligament)
  - Excise collateral both sides
  - Volar pouch with Freer
  - Active motion test
  - Splint in OR but therapy within 48 hours

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#3
PIP Flexion contracture

- Patho anatomy
  - Check rein
  - Collaterals
  - Flexor sheath (Dups)

- Blazar PE, Floyd EW, Earp BE. The quantitative role of flexor sheath incision in correcting Dupuytren proximal interphalangeal joint contractures. J Hand Surg Eur Vol. 2016 Jul;41(6):609-13. doi: 10.1177/1753193415602189. Epub 2015 Sep 4.PubMed PMID: 26342010.

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#2
Digit Widget

- Surgery Simple
- Extension tourque
- More force to P2 than traditional splints

BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#1
Intrinsic problems are complex

- Distal Release (PIP only)
- Proximal Release (MP and PIP)

- Intrinsic slide
- Rare, MP and PIP contracture with functioning intrinsics



BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

#1
Intrinsic problems are complex

- Distal Release (PIP only)
- Proximal Release (MP and PIP)

- Intrinsic slide
- Rare, MP and PIP contracture with functioning intrinsics



BRIGHAM HEALTH
BRIGHAM AND WOMEN'S HOSPITAL
HARVARD MEDICAL SCHOOL TEACHING HOSPITAL

PIP Extension contracture

- IV regional
- Possible flexor tenolysis

- Surgery Dorsal approach
- Release TRL
- Extensor tenolysis
- Excise Dorsal capsule
- Dorsal collaterals 33/66/100
- Pflexion=>Aflexion
- Check for intrinsic tightness